CLOSED-END COMPACTION SOLUTION FOR MORE PROFITABLE WASTE HANDLING

ORWAK SEMI-AUTO HORIZONTAL BALERS



SEMI-AUTOMATIC HORIZONTAL BALERS 1540-1550-1560

Compact design, yet high-density bales! The Orwak closed-end horizontal balers are compact size and come with manual bale tying. They are ideal for businesses with big volumes of recyclable material when vertical balers are too labor intensive or where bulk loading is required.



SEMI-AUTOMATICS; PERFECT FOR YOUR BUSINESS





This range of semi-automatic balers is ideal when you are looking for a compact size indoor waste compaction solution and the volumes surpass what is effective to handle with vertical balers.

WHAT IS A SEMI-AUTO BALER?

The semi-automatics are small horizontal balers. The compaction cycles are automatic, while the bale tying is manual. The material is compacted against the closed-end of the press channel ensuring high-density bales.

MANUAL BALE TYING

When the press chamber is full, the operator ties the bale manually. A four-fold strapping or wire binding provides a firm grip of the bale.

SEMI-AUTO BALE EJECTION

When a bale is ready, the operator simply pushes two buttons to eject it on a pallet for easy removal by forklift.

PLENTY OF FEED OPTIONS

The semi-automatics can be fed manually from the ground or a dock, by bin lifter, chute, conveyor or forklift.

WHY SEMI-AUTOMATIC BALERS?

- High-capacity compaction of large waste volumes into dense bales
- Require little space and can be placed indoors
- Generous infeed and automated compaction means convenient waste disposal for the staff
- Generate mill-size bales for delivery to the recycling industry
- Cost effective waste solution

BROAD APPLICATION AREAS

Optimized for different types of paper, cardboard, plastic film, PP Big Bags and (pierced) PET bottles.

Our semi-automatic horizontal balers are perfect in any environment where big volumes of recyclables need to be taken care of and the volume exceeds what is productive to handle in a vertical baler:

Retailers Manufacturing industries Recyclers Warehouses Distribution centers

ORWAK SEMI-AUTOMATIC HORIZONTAL BALER


1540-1550-1560




MACHINE DIMENSIONS

 LENGTH (L)
 WIDTH (W)
 HEIGHT (H)
 INFEED OPENING
 CHANNEL SECTION

 SEMI-AUTO 1540-1550-1560
 294'
 85"
 100"
 59"x43"
 43" x 29"






TECHNICAL DATA

MODEL	LOADING VOLUME	CYCLE TIME	MOTOR	PRESS FORCE	SURFACE PRESSURE	BALE SIZE HxDxL (IN THE CHAMBER)	BALE BINDING	BALE WEIGHT	MACHINE WEIGHT	OIL TANK
1540	44 ft³	58 s	7.5 kW	88,200 lbs	68.3 psi	43''x30''x35-51''*	4-fold	up to 1100 lbs**	10,472 lbs	38 gal
1550	44 ft³	39 s	15 kW	110,200 lbs	86.8 psi	43''x30''x35-51''*	4-fold	up to 1210 lbs**	10,803 lbs	66 gal
1560	44 ft ³	52 s	15 kW	132,300 lbs	103.8 psi	43''x30''x35-51''*	4-fold	up to 1320 lbs**	11,133 lbs	66 gal

^{*}The bale length can expand by 10-20 % after ejection from the baler.

 $Operating power: 3 \times 440 V-480 V \ , 60 \ hz \ , Fuse 20 \ A \ (60 \ A \ total)$ We reserve the right to make changes to specifications without prior notice.





^{**}Cardboard, for bale weights for other types of material, contact us.

BEST FEATURES

For an enhanced user experience, the semi-automatic range comes with smart and convenient standard features.



PORTCULLIS DOORSturdy vertical door that opens automatically.



AUTO STARTEquipped with photocell start and a selector for easy switch between manual and automatic operation.




OPERATING PANELModern user-friendly operating panel with status indicators and commands for bale ejection and manual operation.

OPTIONS & ACCESSORIES

A wide range of accessories and options make great machines even better and tailor the semi-automatics to your needs.



HOPPERSDifferent types and sizes



BIN LIFTERFor infeed from four-wheeled bins



CHUTES/CONVEYORSFor automated infeed of big waste volumes



STRAP HOLDERS



OIL COOLER/HEATERS



OPTICAL WARNING AUTO START

ORWAK NORTH AMERICA, INC.

9200 Globe Center Drive, Suite 130 Morrisville, NC 27560, USA Phone: +1-800-747-0449 Email: info@orwakbalers.com



