

ORWAK HORIZONTAL 1000 ATH

Our fully automated horizontal baler meets the challenges by centralized waste handling in many businesses and organizations where huge volumes of recyclable paper-based and plastic wrapping are produced. We offer well-proven technology for special demands! The automatic tying and the continuous baling enable multi-shift operation.



**AUTOMATIC
SOLUTION**

**24 300-
55 100
LBS/H**

**CAPACITY
CARDBOARD**

**2205
LBS**

**BALE WEIGHT
CARDBOARD**

ORWAK BENEFITS



MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time for your core activities!

MORE SPACE & ORDER

Our balers rapidly minimize the space the waste takes up, keeping aisles free and tidy.

LESS COSTS, MORE VALUE

More compaction = less waste volume to transport. Fewer transports required results in lower transportation costs and reduced CO₂ emissions. Sorting at source yields a higher quality of waste material for recycling.

WHY ORWAK HORIZONTAL?

- Effective large-scale waste handling
- Improved internal and external logistics
- Safe and comfortable working environment
- Excellent control over the throughput
- Increased income when delivering high-quality bales directly to the recycling industry.

ORWAK[®]
PART OF **Sulo** GROUP

ORWAK HORIZONTAL 1000 ATH

Smart fully automated solution

CONTINUOUS FEEDING AND OUTPUT

A completely automated waste management solution designed for continuous infeed and equipped with an automatic horizontal strapping system with adjustable wire links, which enables you to yield optimal output.

EQUIPPED WITH A PROGRESSIVE CUTTING SYSTEM

for extra effective compaction .



OPTIMAL FEATURES

- Well proven technology
- Auto start (photozell) as standard
- High speed: fast throughput
- Adjustable bale length
- Bale counter
- Oil cooler
- Horizontal automatic tying

HORIZONTAL 1000 ATH IS OPTIMIZED FOR:

PAPER

- Paper sacks
- Cardboard
- Tetra Pak

PLASTIC

- Shrink film
- PET/ PEHD

A VARIETY OF INFEEED OPTIONS

To fit the conditions in your environment, our horizontal balers offer a wide choice of infeed systems: manual, by bin, air-transport and conveyor belt. Our balers can also easily be equipped with shredders, bottle presses, rufflers, strippers and different types of hoppers.

OPTIONS


- Conveyor belt
- Heating systems
- Stamper

More special options on demand

DIMENSIONS & SPECIFICATIONS

TECHNICAL SPECIFICATIONS

MODEL	MACHINE DIMENSIONS (LxWxH) EXCL. BALE EXIT	FEED OPENING	INFEEED CAPACITY	PRESS FORCE	MOTOR	SURFACE PRESSURE	CYCLES PER MINUTE	CHANNEL SECTION	OIL TANK CAPACITY
1000 ATH, 75 Hp	309"x175"x121"	61"x39"	48 ft ³	220,460 lbs	75 Hp	161 psi	3.5	43"x32"	264 gal
1000 ATH, 100 Hp	309"x175"x121"	61"x39"	48 ft ³	220,460 lbs	100 Hp	161 ps ^l	5	43"x32"	396 gal



TECHNICAL SPECIFICATIONS

MODEL	TOTAL MACHINE WEIGHT	PRODUCTION RATE WITH LOAD	PRODUCTION ACCORD. TO DENSITY	AUTOMATIC BINDING	BALE SIZE (ADJUSTABLE LENGTH)	BALE WEIGHT CARDBOARD DEPENDS ON BALE LENGTH
1000 ATH, 55 kW	33,069 lbs	7,769 ft ³ /h	24,300-39,700 lbs/h	4 wires	43"x32"x32-87"	882-2205 lbs
1000 ATH, 75 kW	34,172 lbs	11,301 ft ³ /h	35,300-55,100 lbs/h	4 wires	43"x32"x32-87"	882-2205 lbs

We reserve the right to make changes to specifications without prior notice. Bale weights are dependent upon material type.

Power: 3 x 460 V, 60 Hz

ORWAK NORTH AMERICA, INC.

9200 Globe Center Drive, Suite 130
Morrisville
NC 27560, USA
Phone: +1-800-747-0449
Email: info@orwakbalers.com

ORWAKBALERS.COM

